

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	305	port with address with identif\$4 with (message poll)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:15
L2	9	port with address with identif\$4 with (poll)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:06
L3	15	port with address with identif\$4 with (poll ping)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:07
L4	22	port with address with identif\$4 with (poll\$4 ping\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:08
L5	112	port with address with identif\$4 with (poll\$4 ping\$4 socket)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:08
L6	1	5 with (discover\$4 topology)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:10
L7	3	5 same (discover\$4 topology)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:11
L8	487	socket same (discover\$4 topology)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:12
L9	199	socket with (discover\$4 topology)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:13
L10	0	9 with optical	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:12
L11	0	9 same optical	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:12
L12	8	9 and optical	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:12

L13	8	socket with (discover\$4 topology) with message	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:12
L14	159	socket with (ping\$4 poll\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:13
L15	0	14 with optical	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:13
L16	9	14 with (link channel)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:14
L17	16	socket with ((link channel) adj (identifier number))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:16
L18	145	port with address with ((link channel) adj (identifier number))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:17
L19	25	18 with (message command poll ping request response)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:34
L20	2380	(address ip) with (link channel facility) with (identifier id identification number) with (message command poll ping request response)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:41
L21	14	20 with (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:39
L22	25	20 same (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:43
L23	671	(address ip) with ((link channel facility) adj (identifier id identification number)) with (message command poll ping request response)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:42
L24	132	23 and (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:43

L25	2	23 same (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:43
L26	80	24 and (discover\$4 topology\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:44

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	164952	(link channel) with (identifier id number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:44
L2	1423	1 with transmit\$4 with (reply response poll\$4 ping)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:23
L3	285	2 with (request\$4 discover\$4 topology status)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:30
L4	74	3 with (first second alternat\$4 backup protect\$4 standby)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:00
L5	0	3 with (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:31
L6	1	3 same (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:37
L7	35	3 and (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:07
L8	134	1 with transmit\$4 with (poll\$4 ping)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:16
L9	1340	1 with transmit\$4 with (reply response)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:23
L10	303	9 with (first second alternative)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:23
L11	55	10 with request\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:23
L12	46	2 with (discover\$4 topology status)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:27

L13	40	2 with status	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:30
L14	19	2 with (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:35
L15	11	1 with determin\$4 with path with optimal	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:36
L16	649	1 with determin\$4 with path	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:37
L17	36	16 same (optical wavelength (wave adj length))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:37
L18	13172	1 with (message packet poll)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:45
L19	1499	18 with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:45
L20	195	19 with first	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:45
L21	80	20 with second	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 20:45